



Attorney's Docket 061063-0306275  
Client Reference: OSP-14940

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re PATENT APPLICATION of:  
TAKEHIRO YOSHIDA

Confirmation Number: 8407

Application No.: 10/679,508

Group Art Unit: 2877

Filed: October 7, 2003

Examiner: DETSCHEL, Marissa

For: SPECTROSCOPE, CONFOCAL OPTICAL SYSTEM USING THE SAME, AND  
SCANNING MICROSCOPE

**Commissioner for Patents**  
**P.O. Box 1450**  
**Alexandria, VA 22313-1450**

**SUPPLEMENTAL AMENDMENT TRANSMITTAL**

Transmitted herewith is a **supplemental amendment and replacement drawings**  
for this application.

**FEES**

The fee for claims and extension of time (37 C.F.R. 1.16 and 1.17) has been  
calculated as shown below:

CLAIMS REMAINING AFTER AMENDMENT	HIGHEST NO. PREVIOUSLY PAID FOR	PRESENT EXTRA	RATE	ADDIT. FEE
TOTAL	-	=	x \$	= \$
INDEP.	-	=	x \$	= \$
FIRST PRESENTATION OF MULTIPLE DEP. CLAIM			+ \$	= \$ 0.00
TOTAL ADDITIONAL CLAIM FEE				\$
GRAND TOTAL				\$ 0.00

**FEE PAYMENT**


Authorization is hereby made to charge the amount of \$0.00 to Deposit Account No.  
033975. Charge any additional fees required by this paper or credit any  
overpayment in the manner authorized above. A duplicate of this paper is attached.

Date: 5/9/06

PILLSBURY WINTHROP SHAW PITTMAN LLP THOMAS P. HILLIARD  
P.O. Box 10500 Reg. No. 40330  
McLean, VA 22102  
703 770.7591

Attorney Docket: 061063-0306275

Client Reference: OSP-14940



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor: PATENT APPLICATION of: TAKEHIRO YOSHIDA Confirmation Number: 8407

Application No.: 10/679,508

Group Art Unit: 2877

Filed: October 7, 2003

Examiner: DETSCHEL, Marissa

Title: SPECTROSCOPE, CONFOCAL OPTICAL SYSTEM USING THE SAME, AND  
SCANNING MICROSCOPE

SUPPLEMENTAL AMENDMENT UNDER 37 C.F.R. § 1.111

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

In response to the Office Action dated February 8, 2006, the due date for response to which is May 8, 2006, please amend the above-identified application as follows: